



SynQuest Laboratories, Inc.
PO Box 309, Alachua, FL 32616-0309
Tel. 386/462-0788; FAX 386/462-7097

Material Safety Data Sheet

Transportation Emergency: 1-800-451-8346

Date last revised: November 15, 2010

Date printed: November 15, 2010

SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 3H32-3-55
NAME: QUINOLINIUM FLUOROCHROMATE ON ALUMINA
SYNONYMS: QFC ON ALUMINA

SECTION 2. ----- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS #: 143440-93-1
MF: $C_9H_8CrFNO_3 = 149.17$

SECTION 3. ----- HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS

OXIDIZER.

HIGHLY TOXIC BY INHALATION, INGESTION, AND SKIN ABSORPTION.

MAY CAUSE CANCER BY INHALATION OR OTHER ROUTES OF EXPOSURE.

SKIN SENSITIZER.

SECTION 4. ----- FIRST-AID MEASURES-----

GENERAL ADVICE

CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.

ORAL EXPOSURE

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

INHALATION EXPOSURE

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

DERMAL EXPOSURE

IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER.

EYE EXPOSURE

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.

SECTION 5. ----- FIRE FIGHTING MEASURES -----

EXTINGUISHING MEDIA

USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.

SPECIAL FIREFIGHTING PROCEDURES

WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

UNUSUAL FIRE AND EXPLOSIONS HAZARDS

EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR RESPIRATOR, CHEMICAL SAFETY GOGGLES, RUBBER BOOTS, AND HEAVY RUBBER GLOVES. AVOID BREATHING DUST OR FUMES.

METHODS FOR CLEANING UP

COVER WITH INERT ABSORBENT MATERIAL, SWEEP UP AND DISPOSE OF AS HAZARDOUS WASTE. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

SECTION 7. ----- HANDLING AND STORAGE-----

HANDLING

USER EXPOSURE: DO NOT BREATHE DUST. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE.

STORAGE

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.

SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

ENGINEERING CONTROLS

MECHANICAL EXHAUST REQUIRED. SAFETY SHOWER AND EYE BATH.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY: USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU). WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.

HAND: COMPATIBLE CHEMICAL-RESISTANT GLOVES.

EYE: CHEMICAL SAFETY GOGGLES.

GENERAL HYGIENE MEASURES

WASH THOROUGHLY AFTER HANDLING.

SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----

APPEARANCE AND ODOR
SOLID
PHYSICAL PROPERTIES
NONE ESTABLISHED

SECTION 10. -----STABILITY AND REACTIVITY -----

MATERIALS TO AVOID
ALCOHOLS, ACETONE, METHANOL
HAZARDOUS DECOMPOSITION PRODUCTS
CARBON OXIDES, NITROGEN OXIDES (NO_x), HYDROGEN CHLORIDE GAS, CHROMIUM OXIDES

SECTION 11. ----- TOXICOLOGICAL INFORMATION -----

POTENTIAL HEALTH EFFECTS
INHALATION
HARMFUL AND MAY BE FATAL IF INHALED. MATERIAL IS EXTREMELY DESTRUCTIVE TO THE TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT.
SKIN
CAUSES SKIN BURNS. HARMFUL AND MAY BE FATAL IF ABSORBED THROUGH SKIN.
EYES
CAUSES EYE BURNS.
INGESTION
HARMFUL AND MAY BE FATAL IF SWALLOWED. CAUSES BURNS.
TARGET ORGANS
LIVER, KIDNEY, BONE MARROW, NERVES.

SECTION 12. ----- ECOLOGICAL INFORMATION -----

DATA NOT YET AVAILABLE.

SECTION 13. ----- DISPOSAL CONSIDERATIONS -----

BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. ----- TRANSPORT INFORMATION -----

DOT
PROPER SHIPPING NAME: OXIDIZING SOLID, N.O.S.
UN#: 1479
CLASS: 5.1
PACKING GROUP: PACKING GROUP II
HAZARD LABEL: OXIDIZING SOLID

SECTION 15. ----- REGULATORY INFORMATION -----

EU DIRECTIVES CLASSIFICATION

HAZARD SYMBOL(S): T+, C

HAZARD INDICATION: TOXIC, CORROSIVE

RISK PHRASE(S)

R26/27/28 - VERY TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED

R35 - CAUSES SEVERE BURNS

SAFETY PHRASE(S)

S26 - IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE

S28 - AFTER CONTACT WITH SKIN, WASH IMMEDIATELY WITH PLENTY OF WATER

S36/37/39 - WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION

S45 - IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW LABEL WHERE POSSIBLE)

US CLASSIFICATION AND LABEL TEXT

TARGET ORGAN EFFECT, HIGHLY TOXIC BY INHALATION, HIGHLY TOXIC BY INGESTION, HIGHLY TOXIC BY SKIN ABSORPTION, CORROSIVE.

UNITED STATES REGULATORY INFORMATION

TSCA INVENTORY ITEM: NO

SECTION 16. ----- OTHER INFORMATION -----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.